

62210FBR

FOG BREAKER | Halogen headlight lamps for cars





Product datasheet

Technical data

Electrical data

| Power input | 58 W ¹⁾ |
|-----------------|--------------------|
| Nominal wattage | 55.0 W |
| Nominal voltage | 12.0 V |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| Luminous flux | 1500 lm |
|-------------------------|---------|
| Luminous flux tolerance | ±10 % |

Dimensions & weight

| Length | 59.0 mm |
|----------------|---------|
| Diameter | 12.0 mm |
| Product weight | 12.50 g |

Lifespan

| Lifespan B3 | 330 h |
|-------------|-------|
| Lifespan Tc | 550 h |

Additional product data

| Base (standard designation) | PX26d |
|-----------------------------|---------|
| Dass (standard designation) | . 7.200 |

Certificates & standards

| ECE category | H7 |
|--------------|-----|
| Tel category | 117 |

Country specific categorizations

| Order reference | 62210FBR 55W 12 |
|-----------------|-----------------|
| | |

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4052899039766 | 62210FBR | Hard Cover Box 2 | - x - x - | | |
| 4052899039773 | 62210FBR | Shipping carton box 20 | 250 mm x 240 mm x 106 mm | 6.36 dm ³ | 1230.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.