


ALLSEASON


Halogen headlight lamps for cars




Product family datasheet




Product line drawing



Product line drawing



Product line drawing



Product line drawing

Product family datasheet

Technical data

Product description	Electrical data				Photometrical data		Dimensions & weight	
	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux	Luminous flux tolerance	Length	Diameter
64150ALS	68 W ²⁾	12.0 V	55.00 W	13.2 V	1550 lm	±15 %	67.5 mm	9 mm
64151ALS	68 W ²⁾	12.0 V	55.00 W	13.2 V	1600 lm	±15 %	42.0 mm	12.0 mm
64193ALS ¹⁾	75 / 68 W ²⁾	12.0 V	60/55 W	13.2 V	1650/1000 lm	±15 / ±15 %	82.0 mm	
64210ALL	58 W ²⁾	12.0 V	55.00 W	13.2 V	1500 lm	±10 %	59.0 mm	12.0 mm

Product description	Lifespan		Additional product data	Certificates & standards	Country specific categorizations
	Lifespan B3	Lifespan Tc	Base (standard designation)	ECE category	Order reference
64150ALS	150 h	350 h	P14.5s	H1	64150ALS 55W 12
64151ALS	150 h	350 h	PK22s	H3	64151ALS 55W 12
64193ALS ¹⁾	150 / 150 h ³⁾	350 / 350 h ³⁾	P43t	H4	64193ALS 60/55W
64210ALL	330 h	550 h	PX26d	H7	64210ALL 55W 12

¹⁾ SUPER version for more light on the road

²⁾ Maximum

³⁾ Filament 1

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.